

LEXAN™ 9030P SHEET

PRODUCT DATASHEET

DESCRIPTION

LEXAN™ 9030P sheet is the standard general-purpose LEXAN sheet. LEXAN™ 9030P sheet combines high impact and temperature resistance with optical clarity and can be utilized for secondary glazing behind existing glazing for economical protection against breakage or intrusion. LEXAN™ 9030P sheet can be cut, sawn, drilled and milled by using standard workshop equipment and is therefore an excellent candidate for fabricating a wide range of indoor applications such as machine guards. LEXAN™ 9030P sheet can be easily thermoformed into complex parts while retaining its excellent properties necessary for demanding applications. LEXAN™ 9030P sheet may be decorated using a wide variety of modern techniques such as painting and screen-printing.

TYPICAL PROPERTY VALUES ♦

PROPERTY	TEST METHOD	UNITS	VALUE
PHYSICAL			
Density	ISO 1183	g/cm ³	1.2
Water Absorption, (23°C/sat)	ISO 62	%	0.35
Moisture Absorption (23°C / 50% RH)	ISO 62	%	0.15
MECHANICAL			
Tensile Stress, yield, 50 mm/min	ISO 527	MPa	63
Tensile Strain, yield, 50 mm/min	ISO 527	%	6
Tensile Strain, break, 50 mm/min	ISO 527	%	120
Tensile Modulus, 1 mm/min	ISO 527	MPa	2350
Flexural Stress, yield, 2 mm/min	ISO 178	MPa	90
Flexural Modulus, 2 mm/min	ISO 178	MPa	2300
IMPACT			
Izod Impact, unnotched 80*10*3 +23°C	ISO 180/1U	kJ/m ²	NB
Izod Impact, notched 80*10*3 +23°C	ISO 180/1A	kJ/m ²	70
Charpy Impact, notched, 23°C	ISO 179/2C	kJ/m ²	35
THERMAL			
Thermal Conductivity	ISO 8302	W/m·°C	0.2
CTE, 23°C to 80°C, flow	ISO 11359-2	1/°C	7.E-05
Ball Pressure Test, 125°C +/- 2°C	IEC 60695-10-2	-	PASSES
Vicat Softening Temp, Rate B/120	ISO 306	°C	145
Relative Temp Index, Elec	UL 746B	°C	130
Relative Temp Index, Mech w/impact	UL 746B	°C	130
Relative Temp Index, Mech w/oimpact	UL 746B	°C	130
Electrical			
Volume Resistivity	IEC 60093	Ohm-cm	>1.E+15
Dielectric Strength, in oil, 3.2 mm	IEC 60243-1	kV/mm	17

♦ These property values have been derived from resin data for the material used to produce this sheet product
 ™ Trademarks of SABIC.

PROPERTY	TEST METHOD	UNITS	VALUE
FIRE RATINGS+			
Electrical			
Horizontal burn	UL94 HB	-	HB (0.8-6.56mm)

+ These property values have been derived from Sheet product
 ™ Trademarks of SABIC.

Light Transmission

Transparent LEXAN™ 9030P sheet have excellent light transmission, dependent of thickness with Min.78% & Bronze sheet have light transmission, for all thickness with Min.47% to Max.53%

Fire Performance

LEXAN™ 9030P sheet has good fire behavior characteristics & is UL certified. LEXAN sheet does not contribute significantly to the spread of fire or to the generation of toxic gases. For details, please contact your local sales office

Product Availability*

Product Code : LEXAN™ 9030P sheet:
 Thin gauge in mm : 0.8-1-1.25-1.5
 Standard Sizes* : 1220 x 2440 & 1220 x 30500
 Masking : LEXAN printed masking on top, clear masking on bottom.
 Colors : Clear code 112 and Bronze code 515081

Product Code : LEXAN™ 9030P sheet:
 Gauge in mm : 2-3-4-4.8-5-6-7.5-8-9.5-10-12
 Standard Sizes* : 1220 x 2440 & 2050 x 3050
 Masking : LEXAN printed masking on top, clear masking on bottom
 Colors : Clear code 112 and Bronze code 515081

LEXAN™ 9030P sheet can be supplied by prior arrangements in non - standard widths, lengths and color. Such arrangements may affect prices, terms and/or other conditions of sales and are subject to minimum order quantities.

*For more specific details, please refer Baroda Product Guide.

CONTACT US:

SABIC CORPORATE HQ

PO Box 5101
 Riyadh 11422
 Saudi Arabia
 T +966 (0) 1 225 8000
 F +966 (0) 1 225 9000
 E info@sabic.com

AMERICAS

SABIC
 Functional Forms
 2500 City West Boulevard
 Suite 100
 Houston, TX 77042
 USA
 Toll-free (800) 323 3783
 F (888) 443 2033
 E spinside.sales@sabic.com

EUROPE

SABIC
 Functional Forms
 Plasticslaan 1
 4612 PX
 Bergen op Zoom
 The Netherlands
 T +31 (0)164 293684
 F +31 (0)164 292272
 E ff.info@sabic.com

ASIA PACIFIC

SABIC
 Functional Forms
 2550 Xiupu Road
 Pudong
 201319 Shanghai
 China
 T +86 21 3222 4500
 F +86 21 6289 8998
 E ff.info@sabic.com

INDIA

NORTH REGIONAL OFFICE

10th Floor, Ambiance Corporate
 Towers II
 Ambiance Island,
 Gurgaon 122001,
 Haryana, India
 T : +91 124 4746100
 E: ff.info@sabic.com

INDIA

WEST REGIONAL OFFICE

Solitaire Corporate Park
 Building 7, 8th Floor, Unit 1
 Andheri Ghatkopar Link Road,
 Andheri East,
 Mumbai 400093, India
 T (022) 42481800
 F (022) 42481802
 E: ff.info@sabic.com

INDIA

SOUTH REGIONAL OFFICE

Block B5, Plot No. 81 to 85
 Chikkadunnasandra Village,
 Anekal Taluk
 Off Sarjapura-Attibele State Highway
 Bangalore 562125, India
 T (91) 80-67725000
 F (91) 80-67725007
 E: ff.info@sabic.com

INDIA

CHENNAI OFFICE

9C EGA Trade Centre
 Poonmalle High Road,
 Kilpak Chennai 600010, India
 T (044) 49025600/06
 F (044) 49025611
 E: ff.info@sabic.com

DISCLAIMER: THE MATERIALS, PRODUCTS AND SERVICES OF SAUDI BASIC INDUSTRIES CORPORATION (SABIC) OR ITS SUBSIDIARIES OR AFFILIATES ("SELLER") ARE SOLD SUBJECT TO SELLER'S STANDARD CONDITIONS OF SALE, WHICH ARE AVAILABLE UPON REQUEST. INFORMATION AND RECOMMENDATIONS CONTAINED IN THIS DOCUMENT ARE GIVEN IN GOOD FAITH. HOWEVER, SELLER MAKES NO EXPRESS OR IMPLIED REPRESENTATION, WARRANTY OR GUARANTEE (I) THAT ANY RESULTS DESCRIBED IN THIS DOCUMENT WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (II) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN OR APPLICATION INCORPORATING SELLER'S MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS. UNLESS OTHERWISE PROVIDED IN SELLER'S STANDARD CONDITIONS OF SALE, SELLER SHALL NOT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS DESCRIBED IN THIS DOCUMENT. Each user is responsible for making its own determination as to the suitability of Seller's materials, products, services or recommendations for the user's particular use through appropriate end-use and other testing and analysis. Nothing in any document or oral statement shall be deemed to alter or waive any provision of Seller's Standard Conditions of Sale or this Disclaimer, unless it is specifically agreed to in a writing signed by Seller. Statements by Seller concerning a possible use of any material, product, service or design do not, are not intended to, and should not be construed to grant any license under any patent or other intellectual property right of Seller or as a recommendation for the use of any material, product, service or design in a manner that infringes any patent or other intellectual property right.

SABIC and brands marked with ™ are trademarks of SABIC or its subsidiaries or affiliates, unless otherwise noted.

© 2022 Saudi Basic Industries Corporation (SABIC). All Rights Reserved.

Any brands, products or services of other companies referenced in this document are the trademarks, service marks and/or trade names of their respective holders.



